

(19) Japanese Patent Office (JP)

(11) Kokai Utility Model Application

(12) Kokai Utility Model Publication (U) Hei 3-6670

(51) Int. Cl. ⁴	Identification Code	JPO File No.	(43) Publication: April 13, 1989
G09F 9/00	350 A	6422-5C	
G02F 1/1333		8806-2H	
	1/1345	7610-2H	

Examination request: Not requested

Number of claims: 1

(Total of 2 pages)

(54) Title of the Device: Liquid Crystal Display Device

(21) Utility Model Application: Hei 1-65750

(22) Application: June 7, 1989

(72) Creator of device: [untransliterateable] Yasui

c/o Casio Keisanki Kabushiki Kaisha Tokyo Representative Office
2-229 Sakuragaoka, Higashi-yamato-shi, Tokyo

(72) Creator of device: Takanori Suzuki

c/o Casio Keisanki Kabushiki Kaisha Tokyo Representative Office
2-229 Sakuragaoka, Higashi-yamato-shi, Tokyo

(71) Applicant: Casio Keisanki Kabushiki Kaisha

2-6-1 Nishi-shinjuku, Shinjuku-ku, Tokyo

(74) Agent: Patent attorney Toshimasa Machida

(57) Claims

(1) A liquid crystal display device comprising:

a liquid crystal display panel comprising a liquid crystal drive means and signal input pins used to input liquid crystal drive signals to the said liquid crystal drive means;

a frame for holding the said liquid crystal display panel; and

a main unit which holds the said frame and comprising signal output pins that output liquid crystal drive signals to the signal input pins of the aforesaid liquid crystal panel.

Brief Description of the Drawings

Fig. 1 through Fig. 5 show one embodiment of the present device. Fig. 1 is a frontal view of an electronic equipment equipped with a liquid crystal television. Fig. 2 is a perspective view of the electronic equipment

with the display unit removed. Fig. 3 is an exploded perspective view of the essential elements of the display unit. Fig. 4 is a view of the backside of the display unit. Fig. 5 is an exploded perspective view of the display unit with the screen size of the liquid crystal display panel enlarged.

1. Equipment proper
2. Display unit
7. Installation recessed area
8. Connector
10. Frame
16. Liquid crystal display panel
17. Drive means
22. Terminals

④日本特許庁(JP) ⑤実用新案出願公開
 ⑥公開実用新案公報(U) 平3-6670

⑦Int.Cl.³

G 09 F 9/00
 G 02 F 1/1333
 1/1345

識別記号 廃内整理番号

950 A 6422-5C
 8808-2H
 7610-2H

⑧公開 平成3年(1991)1月23日

審査請求 未請求 請求項の数 1 (全2頁)

⑨考案の名称 液晶表示装置

⑩実 平1-65750

⑪出 平1(1989)6月7日

⑫考案者 安井 良全 東京都東大和市桜が丘2丁目229番地 カシオ計算機株式会社東京事業所内

⑬考案者 鈴木 孝典 東京都東大和市桜が丘2丁目229番地 カシオ計算機株式会社東京事業所内

⑭出願人 カシオ計算機株式会社

⑮代理人 弁理士 町田 俊正

⑯実用新案登録請求の範囲

液晶駆動手段およびこの液晶駆動手段に液晶表示駆動信号を入力する信号入力端子を備えた液晶表示パネルと、

この液晶表示パネルを保持する枠体と、



この枠体を保持するとともに前記液晶表示パネルの信号入力端子に液晶駆動信号を出力する信号出力端子を備えた本体部と、
 からなる液晶表示装置。

図面の説明を説明

第1図～第5図はこの考案の一実施例を示し、

第1図は液晶テレビ付電子機器の正断面図、第2図は表示ユニットを取り外した状態の電子機器の斜視図、第3図は表示ユニットの要部分斜視図、第4図は表示ユニットの裏面図、第5図は複用表示パネルの画面サイズを大きくした場合の表示ユニットの分解斜視図である。


1……筐体本体、2……表示ユニット、3……取扱凹部、4……コネクタ、10……枠体、16……液晶表示パネル、17……駆動手段、22……端子部。




第2図

第1図


実用 平3-6670(2)



第3図



第4図



第5図